

## Embossed panels

ClassicLine is a combination of traditional aesthetics and modern materials, thanks to which the customer buys solid doors at an attractive price. The number of colour variants is impressive, and the resistance to external factors guarantees high comfort of use for years. Thanks to good performance parameters, they are an interesting proposition for investors who care about low maintenance costs.

Panels with a thickness of 36 and 48 mm

Panels made of MDF boards and XPS foam

Handle or handrail



ClassicLine



Materials from which the door can be made:

- PVC




Available colour options:

- Aluplast
- Salamander
- Gealan
- RAL

Panel 01



Technical drawing



Minimum panel size

PVC: 500x1750


Maximum panel size

PVC: 1100x2300

Panel 02



Technical drawing



Minimum panel size

PVC: 500x1750


Maximum panel size

PVC: 1100x2300

Panel 03



Technical drawing



Minimum panel size

PVC: 500x1750


Maximum panel size

PVC: 1100x2300

Panel 04



Technical drawing



Minimum panel size

PVC: 500x1750


Maximum panel size

PVC: 1100x2300

Panel 05



Technical drawing



Minimum panel size

PVC: 500x1750


Maximum panel size

PVC: 1100x2300

Panel 06



Technical drawing



Minimum panel size

PVC: 500x1750


Maximum panel size

PVC: 1100x2300

Panel 07



Technical drawing



Minimum panel size

PVC: 500x1750


Maximum panel size

PVC: 1100x2300

Panel 08



Technical drawing



Minimum panel size

PVC: 500x1750


Maximum panel size

PVC: 1100x2300

Panel 09



Technical drawing



Minimum panel size

PVC: 500x1750


Maximum panel size

PVC: 1100x2300

Panel 10



Technical drawing



Minimum panel size

PVC: 500x1750


Maximum panel size

PVC: 1100x2300

Panel 11



Technical drawing



Minimum panel size

PVC: 500x1750


Maximum panel size

PVC: 1100x2300

Panel 12



Technical drawing



Minimum panel size

PVC: 500x1750


Maximum panel size

PVC: 1100x2300

Panel 13



Technical drawing



Minimum panel size

PVC: 500x1750


Maximum panel size

PVC: 1100x2300

Panel 14



Technical drawing



Minimum panel size

PVC: 500x1750


Maximum panel size

PVC: 1100x2300

Panel 15



Technical drawing



Minimum panel size

PVC: 500x1750


Maximum panel size

PVC: 1100x2300

Panel 16



Technical drawing



Minimum panel size

PVC: 500x1750


Maximum panel size

PVC: 1100x2300

Panel 17



Technical drawing



Minimum panel size

PVC: 600 x 1750


Maximum panel size

PVC: 1100 x 2220

Panel 18



Technical drawing



Minimum panel size

PVC: 600 x 1750


Maximum panel size

PVC: 1100 x 2220

Panel 19



Technical drawing




Minimum panel size  
PVC: 600 x 1750

Maximum panel size  
PVC: 1100 x 2220

Panel 20



Technical drawing




Minimum panel size  
PVC: 600 x 1750

Maximum panel size  
PVC: 1100 x 2220

Panel 21



Technical drawing



Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300





## EkoGreen embossed panels

EkoGreen combines the highest level of thermal insulation with a diverse design inspired by Mediterranean stylistics, allowing for the creation of exterior doors that stand out in every way. The EkoGreen collection allows for the composition of panels with side inserts, bottom panels (Sottotraversi), and shutters (Scuretti).



A complete list of designs is available in the sales department.



- Materials from which the door can be made:
- PVC



Available colour options:

- Aluplast
- Salamander
- Gealan

# UNPARALLELED ITALIAN DESIGN

Italian style is one of the bases of all aesthetic trends prevailing in Europe. Starting from ancient Rome, great artists from the Apennine Peninsula delight us with their mastery of form. EkoGreen embossed panels perfectly match this sense of aesthetics, offering us a wealth of classic and exciting solutions.

Natural wood and rich design delight especially in the Mediterranean, where the possibilities of light control provided by glazing, side panels and accessories are also intensively used.

## Ecology at the highest level

EkoGreen is not a random name. All products in this series are produced with particular emphasis on ecological issues. Their use allows you to reduce your carbon footprint by using safely sourced wood and improving thermal insulation by as much as 40% compared to typical door panels.



## COMBINE ALL SOLUTIONS

EkoGreen panels were created to unleash the creativity of their users. All doors can be freely combined with extensions, equipped with Sottotraversi bottom panels and supplemented with Scuretti internal shutters. This way, you have an absolutely unique interior design at your fingertips, tailored to the character of the building and its users.



classic door panels and side panels

interior shutters

embossed bottom panels

## Embossed panels

EkoGreen door panels are a combination of classic elegance and advanced technologies. Great emphasis was placed on ecology, which allowed us to further improve the operational parameters of the doors and their finishing options.

By reducing the weight of the door by 30%, it is possible to achieve better thermal insulation by up to 40%. This makes it easier to achieve thermal comfort in the interior. This is due to the layered structure of Hydro Exterior, made of medium-length chips, glued in such a way that the resulting panel is resistant to water and mechanical factors.

The multi-layer PVC-Acrylic foil makes the doors resistant to temperatures ranging from -50 to +120°C. It can also reflect up to 80% of UV radiation (Solar Shield technology), thus maintaining the colour, and the thickness of the coating is a great medium for creating 3D decorations.

- **panel thickness: 24-48 mm**
- solid or glazed door panels
- Hydro Exterior HDF board + XPS insulation
- one-sided (E-K), two-sided (E-M) embossed, milled or 3D relief
- embossed (as standard) or debossed (for an extra charge)
- safety glass 33.1 in glazing
- glazing with a glazing bead (ON type), without glazing bead (type O)
- maximum size 1100 x 2800 mm
- minimum size 200 x 1500 mm
- $U_p = 0.66 \text{ W/m}^2\text{K}$  (for 44-48 mm thick panels)



002



002V01



002V02



002V03

Elegant Italian design will satisfy the most demanding customers. We have beautiful, timeless designs of interior shutter panels and embossed bottom panels, including: Stella, Milano, Roma, which will perfectly match your style.



Stella



Milano



Roma



Luna



Clara




Acquamarina



Violet


## VARIANTS




rectangle



bow



trapeze



accordion  
folding

## FITTINGS



old gold



shiny gold



silver